

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Vigginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO. 5534		
09/960,419	09/21/2001	Shoji Ikeda	0941.65839			
75	90 07/14/2003					
Patrick G. Burns, Esq. GREER, BURNS & CRAIN, LTD. Suite 2500 300 South Wacker Dr. Chicago, IL 60606			EXAMINER			
			FALASCO, LOUIS V			
			ART UNIT	PAPER NUMBER		
Cincugo, IL o	,000		1773	•		
			DATE MAILED: 07/14/2003			

Please find below and/or attached an Office communication concerning this application or proceeding.

PTO-90C (Rev. 07-01)

					4 S	
		Application No		Applicant(s)		
Office Action Summary		09/960,419		IKEDA ET AL.		
		Examiner		Art Unit		
		Louis Falasco		1773		
Period fo	The MAILING DATE of this communication ap r Reply	pears on the cove	r sheet with the c	orrespondence add	ress	
THE N - Exter after - If the - If NO - Failou - Any r earner	ORTENED STATUTORY PERIOD FOR REPL MAILING DATE OF THIS COMMUNICATION. Issions of time may be available under the provisions of 37 CFR 1. SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a rep period for reply is specified above, the maximum statutory period re to reply within the set or extended period for reply will, by statutely received by the Office later than three months after the mailined patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, how ly within the statutory mi will apply and will expire e, cause the application g date of this communic	rever, may a reply be tim nimum of thirty (30) day: SIX (6) MONTHS from to become ABANDONE	nely filed s will be considered timely. the mailing date of this com D (35 U.S.C. § 133).	nmunication.	
1)[	Responsive to communication(s) filed on 12					
2a)⊠	,	nis action is non-				
3)□ Dispositi	Since this application is in condition for allow closed in accordance with the practice under on of Claims				merits is	
•	Claim(s) 1-20 is/are pending in the application	n.				
•	4a) Of the above claim(s) is/are withdra		ration.			
	Claim(s) is/are allowed.					
·	Claim(s) <u>1-20</u> is/are rejected.					
•	Claim(s) is/are objected to.					
8)	Claim(s) are subject to restriction and/o	or election require	ement.			
	The specification is objected to by the Examina	er.				
10) 🗆 -	The drawing(s) filed on is/are: a)□ acce	epted or b) object	ted to by the Exa	miner.	•	
•	Applicant may not request that any objection to the	ne drawing(s) be he	eld in abeyance. S	ee 37 CFR 1.85(a).		
11) ☐ The proposed drawing correction filed on is: a) ☐ approved b) ☐ disapproved by the Examiner.						
	If approved, corrected drawings are required in re	eply to this Office a	ction.			
12) 🔲 -	The oath or declaration is objected to by the Ex	xaminer.				
Priority u	ınder 35 U.S.C. §§ 119 and 120					
13)	Acknowledgment is made of a claim for foreig	n priority under 3	5 U.S.C. § 119(a	)-(d) or (f).		
a)[	☐ All b)☐ Some * c)☐ None of:					
	1. Certified copies of the priority documen	ts have been rec	eived.			
	2. Certified copies of the priority documen	ts have been rec	eived in Applicati	on No		
* S	3. Copies of the certified copies of the price application from the International Business the attached detailed Office action for a list	ureau (PCT Rule	17.2(a)).		stage	
14)∐ A	cknowledgment is made of a claim for domes	tic priority under	35 U.S.C. § 119(e	e) (to a provisional a	application).	
	) $\square$ The translation of the foreign language pracknowledgment is made of a claim for domes	• •				
Attachmen	t(s)					
2)  Notic 3) Infor	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449) Paper No(s)	4) _ 5) _ 6) _		/ (PTO-413) Paper No(s Patent Application (PTO		
J.S. Patent and Tr PTO-326 (Re		ction Summary		Part of Paper No. 5		

Art Unit: 1773

### **Claims**

The claims are 1 to 20 all claims remain under consideration.

## Papers Received

Applicants' Amendment A has been received as paper #4.

## **Objections**

The examiner has withdrawn objections made in the previous Office action.

# **Rejections**

#### Statuary basis

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

# <u>Rejections</u>

1. Claims 1 though 20 are rejected as being unpatentable under 35 U.S.C. 103 over the teachings of **Sasaki** (US 6210544).

**Sasaki et al** encompasses the required claimed Fe-Co-M-O composition of the thin film layer and the claimed Fe-Co-M-O composition recording head.

In Sasaki et al the composition preferably is:

Art Unit: 1773

(Co<sub>1- (between 0 and .7)</sub> Fe (i.e. "Q" is Fe) (between 0 and .7) ) (balance) M(= to Al, Zr,

Ti, Hf, Mo, Si, W, B, Al, Ge, Ga or any Rare Earth) (between 3 and 30) O (between

7 and 40) X (at zero to 19)

- Noted for instance at col. 3 lns 32 – 48, with ratios col. 7 26-51, col. 8 lns 44-54 also note the **Sasaki** film composition may have the element 'X' is at zero.

It would have been obvious to one having ordinary skill in the art at the time of the invention to adopt the **Sasaki** film composition motivated to induce soft magnetism in the layer (claims 1-18) or magnetic Head (claims 19 and 20).

This soft magnetism would have been desirable in view of the **Sasaki** teaching the magnetic character may be improved by adjusting the presence of 'X' and the quantity of 'X' is a matter of choice to reduce the corrosion – the presence of 'X' is merely a matter of choice offsetting desired characteristics as flux densities, specific resistances and saturation magnetism (col. 5 lns 39-41, 52-59, and col. 6 lns 15-45).

Note in **Sasaki** the body centered cubic structure preference – col. 5 lns 27-28; col. 9 lns 61-64; col. 17 lns 38-41 and adjusting the grain size within that of the instant claimed range – i.e., less than 30 nm, see col. 3 lns 21-24.

#### As to claim 2:

Two kinds of element **M** may be used in the **Sasaki** compound – see col. 2 lns ln 53.

As to claims 3, 4, 8, and 10:

Art Unit: 1773

Anisotropy is controlled by the action of **Co**, which may be adjusted as desired for increasing or decreasing the level of uniaxial magnetic anisotropy in **Sasaki** – see col. 5 lns ln 57-59.

As to axis in claims 11, 12, 13 and 14:

The specific size would have been a matter of routine optimization **Sasaki** shows this well with in the shorter than 50 nm size – see col. 5 lns 33-35.

As to claims 5 and 6:

Two kinds of element **M** may be used in the **Sasaki** compound – see col. 2 lns ln 53.

As to claims 15 and 16:

The specific resistance can be adjusted by adjusting the amorphous phase of the alloy as necessary see in **Sasaki** –col. 5 lns 23-35 and see col. 9 lns 15-19 and col. 17 lns 5-10.

As to claims 17 to 20:

The film is formed as a lamina in a magnetic head - col. 1 lns 8-24.

2. Claims 1 though 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Shigehiro et al** (JP 10270246 translated abstract submitted by applicants) taken with **Sasaki** (US 6210544).

It has been known to have **Fe-Co-Al-O** films - this is evident from **Shigehiro et al** JP, noting the abstract submitted by applicants and admissions regarding **Shigehiro et al** JP appearing in the instant disclosure page- -5- lines 11, 12, 15, and 16.

Art Unit: 1773

In Shigehiro et al JP note the composition formula in the layer including:

This **Shigehiro et al** JP composition appears to encompass the thin film layer claimed of Fe-Co-Al-O composition – *cf.* the formula of which is specified as:

Shigehiro et al JP abstract does not point out the crystalline structure to acquire the soft magnetic layer character, nor does Shigehiro et al JP recite measures for forming the soft magnetic layer and the soft magnetic layer in the recording head. However, Sasaki, while also directing one to composition encompassing the required claimed Fe-Co-M-O composition for the thin film layer and the claimed recording head, teaches the crystalline grain structure and size.

**Sasaki** shows that the grain size as less than 30 nm and the grain structure as body centered cubic.

In **Sasaki** see the composition:

Art Unit: 1773

Note col. 3 lns 32 – 48, and ratios col. 7 26-51, col. 8 lns 44-54. It would have been obvious to one having ordinary skill in the art to adopt the teachings of **Sasaki** in **Shigehiro et al** JP. The degree of 'X' present in the composition would be merely dependent on the desire to adjust corrosion resistance of the film - off balancing other, desirable magnetic characteristics for the head, such as flux densities, specific resistances and saturation magnetism (col. 5 lns 39-41, 52-59, and col. 6 lns 15-45).

The worker having ordinary skill would have been motivated to select 'X' at zero in order to induce a soft magnetic character as is required in the magnetic head of instant claims 19 and 20; also note the *body centered cubic* structure in Sasaki – see col. 5 lns 27-28; col. col. 9 lns 61-64; col. 17 lns 38-41 – where the *body centered cubic* structure is the preferred structure.

Also note that **Sasaki** teaches the grain size must be made *fine* – i.e., in the range of less than 30 nm (see col. 3 lns 21-24), well within that of the instant claimed range.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to adopt the **Sasaki** size of less than 30 nm and structure of a *body centered cubic* grain for the purpose of improving the magnetic characteristics, including magnetic permeability, saturation flux, and selecting the formula for inducing a soft magnetic character desired in a magnetic head (see **Sasaki** col. 1 lns 9-24), **Sasaki** being directed to forming a magnetic Head with soft magnetic core layer.

Art Unit: 1773

One skilled in the art would have been motivated to adopt **Sasaki**, who teaches a soft magnetic composition, in **Shigehiro et al** (JP) with the expectation of inducing a soft magnetic character with increased the flux density and responsiveness in the recording means.

As to the *bcc* structure: **Sasaki** also teaches the required body centered cubic structure.

Note in **Sasaki** this body centered cubic structure preference – col. 5 lns 27-28; col. col. 9 lns 61-64; col. 17 lns 38-41 and **Sasaki** teaches adjusting the grain size within that of the instant claimed range - to less than 30 nm, see col. 3 lns 21-24.

#### As to claim 2:

Two kinds of element M may be used in the **Sasaki** compound – see col. 2 lns ln 53.

As to claims 3, 4, 8, and 10:

Anisotropy is controlled by the action of **Co** - which may be adjusted as desired for increasing or decreasing the level of uniaxial magnetic anisotropy in **Sasaki** – see col. 5 lns ln 57-59. As to axis in claims 11, 12, 13 and 14 the specific size would have been a matter of routine optimization **Sasaki** shows this well with in the shorter than 50 nm size – see col. 5 lns 33-35.

#### As to claims 5 and 6:

Two kinds of element M may be used in the **Sasaki** compound – see col. 2 lns ln 53.

Art Unit: 1773

As to claims 15 and 16:

The specific resistance can be adjusted by adjusting the amorphous phase of the alloy as required in **Sasaki** – see col. 5 lns 23-35 and see col. 9 lns 15-19 and col. 17 lns 5-10.

As to claims 17 to 20:

The film is formed as a lamina in a magnetic head - col. 1 lns 8-24.

Applicant's arguments filed June 12, 2003 have been fully considered but they are not persuasive.

1. Applicants argue that the composition relationship in **Shigehiro** is reversed.

However from comparisons on page 6 of the Amendment:

- Fe instant claims = 30-94% in **Shigehiro** 10-50%;
- M instant claims = 0.2-9% in **Shigehiro** 2-10%;
- Co instant claims = 4-64% in **Shigehiro** 35-82%;

From the preceding relationship it is evident that the **Shigehiro** prior art overlaps the instant claimed range and is within the instant claimed range.

**Shigehiro** evidently also suggests the desirability of the ranges claimed by applicants with sufficient specificity.

Art Unit: 1773

- The 'specificity' is shown in **Shigehiro** see specific examples in Figures 11 and 12 that compare their **Co**<sub>50</sub>**Fe**<sub>32</sub>**Al**<sub>4</sub>**O**<sub>14</sub> soft magnetic film to a prior art **FeTaN** film; Figs. 4 to 7 where [y+z = less than 10] for (**Co**<sub>.7</sub>**Fe**<sub>.3</sub>)<sub>100-(y+z)</sub>(**Al**<sub>.25</sub>**O**<sub>.75</sub>)<sub>(y+z)</sub> soft magnetic film and Figs. 9 where [y = 5] for (**Co**<sub>.7</sub>**Fe**<sub>.3</sub>)<sub>100-(y)</sub>**Al**<sub>y</sub>**O**<sub>z</sub> soft magnetic film.
- 2. Applicants argue that the composition relationship in **Sasaki** has no apparent overlap of ranges.

However, approximating the comparisons on page 4 of the Amendment:

- Fe instant claims = 35-95% in **Sasaki** 0-70%;
- Co instant claims = 5-65% in **Sasaki** 0-70%;
- M instant claims = 0.2-9% in **Sasaki** 3-30%;
- O instant claims = 1-12% in Sasaki 7-40%

From this relationship it is evident that the **Sasaki** prior art overlaps within the instant claimed range. As applicants point out, when M - O is just the balance of what results from the relationship ( $Co_{1-d}Fe_d$ )<sub>x</sub> $M_yO_zX_w$  – i.e., where  $_x$ = the balance of  $_y$   $_z$  and  $_w$  the relationship of Fe - Co to the total is a maximum of 80% in **Sasaki** where applicants would require at least 85%. However this is n=only a preferred range (**Sasaki** col. 3 ln 31) and it's been pointed out that the adjustment of the O (Oxygen) component to zero would have been a matter of choice merely depending on the degree of resistance to corrosion desired additionally note col. 19 lns 36 – 38 or the M (e.g., Zr or Hf) (**Sasaki** col. 17 lns 6-8, 22-23, 49-56) vs. the magnetic characteristics desired. In either case this

Art Unit: 1773

prior art range in **Sasaki** is close enough for one skilled in the art would have expected the same soft magnetic properties<sup>1</sup>

There has also been no <u>objective evidence</u> of the unobviousness of the instant claimed ranges, nor have there been evidence of *criticality* of the amounts or proportions.

• Generally, differences in concentration will not support the patentability of subject matter encompassed by the prior art unless there is evidence indicating such is critical. "[W]here the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation." In re Aller, 220 F.2d 454, 456, 105 USPQ 233, 235 (CCPA 1955) See also In re Hoeschele, 406 F.2d 1403, 160 USPQ 809 (CCPA 1969) (Claimed elastomeric polyurethanes which fell within the broad scope of the references were held to be unpatentable thereover because, among other reasons, there was no evidence of the criticality of the claimed ranges of molecular weight or molar proportions.).

Note also more recent cases applying this principle, *Merck & Co. Inc. v. Biocraft Laboratories Inc.*, 874 F.2d 804, 10 USPQ2d 1843 (Fed. Cir.), cert. denied, 493 U.S. 975 (1989); *In re Kulling*, 897 F.2d 1147, 14 USPQ2d 1056 (Fed. Cir. 1990); and *In re Geisler*, 116 F.3d 1465, 43 USPQ2d 1362 (Fed. Cir. 1997).

<sup>&</sup>lt;sup>1</sup> Courts have held that a *prima facie* case of obviousness exists where the claimed ranges and prior art ranges do not overlap but are close enough that one skilled in the art would have expected them to have the same properties. *Titanium Metals Corp. of America v. Banner, 778 F.2d 775, 227 USPQ* 773 (Fed. Cir. 1985). Court held as proper a rejection of a claim directed to an alloy of "having 0.8% nickel, 0.3% molybdenum, up to 0.1% iron, balance titanium" as obvious over a reference disclosing alloys of 0.75% nickel, 0.25% molybdenum, balance titanium and 0.94% nickel, 0.31% molybdenum, balance titanium.

Art Unit: 1773

Instant Fig. 2, Fig. 3 and Fig. 4 give an illustration of **Al** + **O** content variation with the flux density, with resistively and with coercive force in **Fe**<sub>0.8</sub> **Co**<sub>0.2</sub>(**Al-O**)<sub>MX</sub>. Fig. 6 illustrates coercive forces in the axial directions of the soft magnetic layer, Fig. 7 illustrates corrosion resistively, Fig. 11illustrates stress and anisotropy magnetic fields of soft magnetic films.

- However, there are no technical details of how the illustrated results were obtained.
- There are no assertions what has been illustrated in the *Figs* would have been unexpected.
- There has been no have there been assertions of criticality.

Even if there were, no claim commensurate in scope with what has been illustrated has been presented nor are there any

### Conclusion

The claims are 1 to 20.

All claims have been rejected.

#### THIS ACTION IS MADE FINAL.

See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 1773

### Statutory Period for Reply to this final action

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

#### **INQUIRES**

Any inquiry concerning this communication from the examiner should be directed to examiner Louis Falasco, Ph.D. whose telephone number is 703.305-6974. The examiner can normally be reached M-F 9:30 AM – 6:00 PM.

- If attempts to reach the examiner are unsuccessful, the examiner's supervisor, Paul Thibodeau may be reached at 703.308-2367.
- The Fax phone numbers for the organization where this application or proceeding is assigned are: 703.872-9310 for regular communications and 703.872-9311 for After Final communications.
- An inquiry of a general nature or relating to status of this application or proceeding should be directed to the TC 1700 receptionist whose telephone number is 703.308-0651.

LF 7/03

STEVAN A. RESAN PRIMARY EXAMINER